Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen,

Guangdong, China

Tel: (86)755-82591330 Fax: (86)755-82591332 Inter

Internet: Http://www.LCS-cert.com

Report No.: LCS1703010025R

PASS

TEST REPORT

Client company : Fulton Science and Technology Lighting Co., Ltd.

Client address 7F, Building 17, Area C, Liantang Industrial Town, Shangcun Community,

Gongming, Guangming New District, Shenzhen, Guangdong Province, China

Manufacturer : Fulton Science and Technology Lighting Co., Ltd.

Address 7F, Building 17, Area C, Liantang Industrial Town, Shangcun Community,

Gongming, Guangming New District, Shenzhen, Guangdong Province, China

Report on the submitted samples said to be:

Sample Name : LED Tri-proof Light

Trade Mark : FULTON

Style/ Item No. FLT-TP-20L6, FLT-TP-30L12, FLT-TP-40L12,

FLT-TP-40L15, FLT-TP-60L15

Sample Receiving Date : March 10, 2017

Testing Period : March 10, 2017 ~ March 20, 2017

EU RoHS Directive 2011/65/EU and its amendment directives

Results : Please refer to next page(s).

Summary of Test Results:

TEST REQUEST CONCLUSION

Signed for and on behalf of LCS

Written By:

Approved by:

Suez Su Jun Chen File administrators Manager

Version:V1.0 Page 1 of 8

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen,

Guangdong, China

Tel: (86)755-82591330 Fax: (86)755-82591332 Internet: Http://www.LCS-cert.com

Report No.: LCS1703010025R

Results:

A. EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.	To at a I Post(a)	Results					
	Tested Part(s)		Cd	Hg	Cr	Br	
Α	LED Tri-proof Light						
1	Transparent plastic	BL	BL	BL	BL	BL	
2	White plastic shell	BL	BL	BL	BL	BL	
3	Silvery metal shell	BL	BL	BL	BL	BL	
4	Silvery metal screw	BL	BL	BL	BL	BL	
5	LED	BL	BL	BL	BL	BL	
6	Solder	Х	BL	BL	BL	BL	
7	PCB	BL	BL	BL	BL	Х	
8	White plastic line	BL	BL	BL	BL	BL	
9	Red plastic line	BL	BL	BL	BL	BL	
10	Silvery metal line	BL	BL	BL	BL	BL	
11	Yellow plastic tape(Transfomer)	BL	BL	BL	BL	BL	
12	Ceramic(Transfomer)	BL	BL	BL	BL	BL	
13	Black plastic(Transfomer)	BL	BL	BL	BL	BL	
14	Copper line(Transfomer)	BL	BL	BL	BL	BL	
15	Silvery metal needle (Transfomer)	BL	BL	BL	BL	BL	
16	Blue plastic case(C1)	BL	BL	BL	BL	BL	
17	Silvery metal case(C1)	BL	BL	BL	BL	BL	
18	Black plastic(C1)	BL	BL	BL	BL	BL	
19	Electriolsis paper(C1)	BL	BL	BL	BL	BL	
20	Silvery metal needle(C1)	BL	BL	BL	BL	BL	
21	Triode	BL	BL	BL	BL	BL	
22	Diode	BL	BL	BL	BL	BL	
23	IC	BL	BL	BL	BL	BL	
24	Chips of resistance	BL	BL	BL	BL	BL	
25	Chips of capacitance	BL	BL	BL	BL	BL	
26	PCB	BL	BL	BL	BL	Х	
27	Solder on PCB	Х	BL	BL	BL	BL	

Version:V1.0 Page 2 of 8

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen,

Guangdong, China

Tel: (86)755-82591330 Fax: (86)755-82591332

Internet: Http://www.LCS-cert.com

Report No.: LCS1703010025R

Note:

-- = Not Conducted

 Screening by XRF and detected by chemical method. The test results of chemical method please refer to next pages.

Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material	
Cd	mg/kg	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤70-3σ <x <130+3σ≤OL</x 	BL≤50-3σ <x <150+3σ≤OL</x 	
Pb	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x 	
Hg	mg/kg	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤700-3σ <x <1300+3σ≤OL</x 	BL≤500-3σ <x <1500+3σ≤OL</x 	
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>	
Br	mg/kg	BL≤300-3σ <x< td=""><td></td><td>BL≤250-3σ<x< td=""></x<></td></x<>		BL≤250-3σ <x< td=""></x<>	

Version:V1.0 Page 3 of 8

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen,

Guangdong, China

Tel: (86)755-82591330 Fax: (86)755-82591332 Internet: Http://www.LCS-cert.com

Report No.: LCS1703010025R

Note:

BL = Below Limit
OL = Over Limit
X = Inconclusive

- The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- iii The maximum permissible limit is quoted from the document 2005/618/EC amending RoHS directive 2011/65/EU:

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)				
Cadmium (Cd)	100				
Lead (Pb)	1000				
Mercury (Hg)	1000				
Hexavalent Chromium (Cr(VI))	1000				
Polybrominated biphenyls (PBBs)	1000				
Polybrominated diphenylethers (PBDEs)	1000				

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

Version:V1.0 Page 4 of 8

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen,

Guangdong, China

Tel: (86)755-82591330 Fax: (86)755-82591332 Internet: Http://www.LCS-cert.com

Report No.: LCS1703010025R

B. The Test Results of Chemical Method:

Test method:

Lead & Cadmium Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

Mercury Content:

With reference to IEC 62321-4:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-AES)

Hexavalent Chromium Content:

With reference to IEC 62321-7-1:2015, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)

1) The test results of Lead (Pb)

Item	Unit	MDL	Results		Limit	
item	Onit	WIDL	(6)	(27)	Liiiit	
Lead Content (Pb)	mg/kg	2	15	N.D.	1000 mg/kg	
Conclusion	1	1	Pass	Pass	/	

Version:V1.0 Page 5 of 8

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen,

Guangdong, China

Tel: (86)755-82591330 Fax: (86)755-82591332 Internet: Http://www.LCS-cert.com

Report No.: LCS1703010025R

2) The test results of PBBs & PBDEs

ltom.	Unit	MDL	Res	Limit	
Item	Unit		7	26	Limit
Polybrominated Biphenyls (PBBs)					
Monobromobiphenyl	mg/kg	5	N.D.	N.D.	
Dibromobiphenyl	mg/kg	5	N.D.	N.D.	
Tribromobiphenyl	mg/kg	5	N.D.	N.D.	
Tetrabromobiphenyl	mg/kg	5	N.D.	N.D.	
Pentabromobiphenyl	mg/kg	5	N.D.	N.D.	
Hexabromobiphenyl	mg/kg	5	N.D.	N.D.	
Heptabromobiphenyl	mg/kg	5	N.D.	N.D.	
Octabromobiphenyl	mg/kg	5	N.D.	N.D.	
Nonabromodiphenyl	mg/kg	5	N.D.	N.D.	
Decabromodiphenyl	mg/kg	5	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	1000 mg/kg
Polybrominated Diphenylethers (PBDEs)(Mon-Deca)					
Monobromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Dibromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Tribromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Tetrabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Pentabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Hexabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Heptabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Octabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Nonabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Decabromodiphenyl ether	mg/kg	5	N.D.	N.D.	
Total content	mg/kg	/	N.D.	N.D.	1000 mg/kg

Note:

- N.D. = Not Detected or less than MDL
- mg/kg = ppm
- MDL = Method Detection Limit
- Photo appendix is included.

Version:V1.0 Page 6 of 8

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen,

Guangdong, China

Tel: (86)755-82591330 Fax: (86)755-82591332 Internet: Http://www.LCS-cert.com

Report No.: LCS1703010025R

AppendixPhotograph of Sample



Version:V1.0 Page 7 of 8

Add: 1/F., Xingyuan Industrial Park, Tongda Road, Bao'an Avenue, Bao'an District, Shenzhen,

Guangdong, China

Tel: (86)755-82591330 Fax: (86)755-82591332 Internet: Http://www.LCS-cert.com

Report No.: LCS1703010025R



LCS authenticate the photo on original report only

****** End of Report ********

Version:V1.0 Page 8 of 8