



**TEST REPORT**  
**IEC 60598-2-24**  
**Luminaires**  
**Part 2: Particular requirements**  
**Section 24: Luminaires with limited surface temperature**

Report Number.....: LCS190910045BS

Date of issue.....: December 20, 2019

Total number of pages.....: 9 pages

Name of Testing Laboratory  
preparing the Report.....: **Shenzhen Southern LCS Compliance Testing Laboratory Ltd.**

Applicant's name.....: **Fulton Science And Technology Lighting Co., Ltd**

Address.....: 7F, Building 17, Area C, Liantang Industrial Town, Shangcun  
Community, Gongming Town, Guangming New District,  
Shenzhen, Guangdong Province, China

**Test specification:**

Standard.....: IEC 60598-2-24:2013 used in conjunction with  
IEC 60598-1:2014+A1:2017

Test procedure.....: Test Report

Non-standard test method.....: N/A

Test Report Form No.....: IEC60598\_2\_24G

Test Report Form(s) Originator.....: Intertek Semko AB

Master TRF.....: 2018-04

**Copyright © 2018 IEC System of Conformity Assessment Schemes for Electrotechnical  
Equipment and Components (IECEE System). All rights reserved.**

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

**General disclaimer:**

The test results presented in this report relate only to the object tested.




This report shall not be reproduced, except in full, without the written approval of the Issuing Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the Testing Laboratory, responsible for this Test Report.

LCSTRF-S-019-A-1

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China  
Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



<b>Test item description.....:</b>	LED TRI-PROOF LIGHT	
<b>Trade Mark.....:</b>	Fulton	
<b>Manufacturer.....:</b>	Fulton Science And Technology Lighting Co., Ltd	
<b>Address.....:</b>	7F, Building 17, Area C, Liantang Industrial Town, Shangcun Community, Gongming Town, Guangming New District, Shenzhen, Guangdong Province, China	
<b>Model/Type reference.....:</b>	See model list on page 5	
<b>Ratings.....:</b>	220-240V~, 50/60Hz, ta45°C, IP65, detail see model list on page 5	
<input checked="" type="checkbox"/>	<b>Testing Laboratory:</b>	
<b>Testing location/ address.....:</b>	Shenzhen Southern LCS Compliance Testing Laboratory Ltd. 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China	
<b>Tested by.....:</b>	Alyson Zhang (Engineer)	
<b>Check by.....:</b>	Lisa Zeng (Director)	
<b>Approved by.....:</b>	Jesse Liu (Manager)	
<b>List of Attachments (including a total number of pages in each attachment):</b> Attachment No. 1: 1 pages of photo documentation.		
<b>Summary of testing:</b>		
<b>Tests performed (name of test and test clause):</b>  This product has obtained CE certification, so this report only evaluates clauses 24.13 and 24.14 of IEC 60598-2-24.	<b>Testing location:</b> Shenzhen Southern LCS Compliance Testing Laboratory Ltd. 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China	
<b>Summary of compliance with National Differences:</b> <b>List of countries addressed</b> EN 60598-2-24: 2013; EN 60598-1: 2015+A1:2018		

LCSTRF-S-019-A-1


Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China

Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com

**Copy of marking plate:**

The artwork below may be only a draft. The use of certification marks on a product must be authorized by the respective NCBs that own these marks.

**Remarks:**

1. Representative markings of FLT-TPT-40L15, markings of all models are identical except for the model name and rating.
2. Height of CE mark at least 5mm, height of WEEE symbol should not less than 7mm, height of other marks at least 5mm, height of letters and numerals at least 2mm.

LCSTRF-S-019-A-1

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China  
Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



<b>Test item particulars</b> ..... :	
<b>Classification of installation and use</b> ..... :	Fixed luminaires for indoor and outdoor use
<b>Supply Connection</b> ..... :	Terminal block
<b>Protection Class</b> ..... :	Class I
<b>Degree of Protection</b> ..... :	IP65
<b>Possible test case verdicts:</b>	
- test case does not apply to the test object..... :	N/A
- test object does meet the requirement..... :	P (Pass)
- test object does not meet the requirement..... :	F (Fail)
<b>Testing</b> ..... :	
<b>Date of receipt of test item</b> ..... :	September 29, 2019
<b>Date (s) of performance of tests</b> ..... :	September 29, 2019 - September 30, 2019
<b>General remarks:</b>	
<p>This report shall not be reproduced except in full without the written approval of the testing laboratory.  The test results presented in this report relate only to the item tested.  "(See Enclosure #)" refers to additional information appended to the report.  "(See appended table)" refers to a table appended to the report.</p> <p>Throughout this report a <input checked="" type="checkbox"/> comma / <input type="checkbox"/> point is used as the decimal separator.</p>	
Modified Information	
Version	Report No.
V1.0	LCS190910045BS
Revision Date	Summary
/	Original Version
<b>Manufacturer's Declaration per sub-clause 4.2.5 of IEC 60529:</b>	
The application for obtaining a CB Test Certificate includes more than one factory location and a declaration from the Manufacturer stating that the sample(s) submitted for evaluation is (are) representative of the products from each factory has been provided..... :	<input type="checkbox"/> <b>Yes</b> <input checked="" type="checkbox"/> <b>Not applicable</b>
<b>When differences exist; they shall be identified in the General product information section.</b>	
<b>Name and address of factory (ies)</b> ..... : Same as applicant's name & address	

LCSTRF-S-019-A-1

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China  
Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com

**General product information:**

Product: LED TRI-PROOF LIGHT

Rating: AC 220-240V, 50/60Hz, ta=45°C, IP65, Class I, for indoor and outdoor use.

- All models have similar construction except for the power and size.

- Unless otherwise specified, the model FLT-TPT-40L15 was chosen as representative model to perform all test.

**Model List:**

Model	Power
FLT-TPT-10L6	10W
FLT-TPT-15L6	15W
FLT-TPT-20L6	20W
FLT-TPT-20L12	20W
FLT-TPT-30L12	30W
FLT-TPT-40L12	40W
FLT-TPT-30L15	30W
FLT-TPT-40L15	40W

LCSTRF-S-019-A-1

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.


Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China  
Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



**IEC 60598-2-24**

Clause	Requirement + Test	Result - Remark	Verdict
--------	--------------------	-----------------	---------

24.5	CLASSIFICATION		P
	Luminaires shall be classified in accordance with the provisions of Section 2 of IEC 60598-1	Class I	P
	a) Luminaire where no unusual accumulation of dust is expected	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	—
	b) Luminaire where an accumulation of non-conductive dust may be expected	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	—
	c) Luminaire where an accumulation of conductive dust may be expected	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	—

24.6	MARKING		P
	The provisions of Section 3 of IEC 60598-1 apply together with the following requirements		P
24.6.1 (-)	Symbol for luminaire with limited surface temp.		P
	Marking visible		P
24.6.2 (-)	Classification of the luminaire according 24.5 in manufacturers literature		P

24.7	CONSTRUCTION		P
	The provisions of Section 4 of IEC 60598-1 apply, together with the requirements of 24.7.1 and 24.7.2 below		P
24.7.1 (-)	Degree of protection		P
	IP4X at least	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	N/A
	IP5X if presence of dust	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	N/A
	IP6X if presence of conductive dust	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	P
	At least IP 5X or IP6X for certain locations according IEC 60364-4-42		P
24.7.2 (-)	Applicable surfaces comply with requirements of horizontal surfaces		P
	Vertical surfaces not complying with spacing requirements in 24.13 comply with the limits for horizontal surfaces		P

24.8	CREEPAGE DISTANCES AND CLEARANCES		N/A
	The provisions of Section 11 of IEC 60598-1 apply		N/A

24.9	PROVISION FOR EARTHING		N/A
------	------------------------	--	-----

LCSTRF-S-019-A-1

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China  
 Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



IEC 60598-2-24			
Clause	Requirement + Test	Result - Remark	Verdict
	The provisions of Section 7 of IEC 60598-1 apply		N/A
<b>24.10</b>	<b>TERMINALS AND ELECTRICAL CONNECTIONS</b>		N/A
	The provisions of Sections 14 and 15 of IEC 60598-1 apply		N/A
<b>24.11</b>	<b>EXTERNAL AND INTERNAL WIRING</b>		N/A
	The provisions of Section 5 of IEC 60598-1 apply		N/A
<b>24.12</b>	<b>PROTECTION AGAINST ELECTRIC SHOCK</b>		N/A
	The provisions of Section 8 of IEC 60598-1 apply		N/A
<b>24.13</b>	<b>ENDURANCE TEST AND THERMAL TEST</b>		P
	If IP > IP 20 relevant test of (12.4), (12.5) and (12.6) after (9.2) before (9.3) specified in 24.14		—
	The provisions of Section 12 of IEC 60598-1 apply, together with the requirements of 24.13.1 to 24.13.3 below		N/A
24.13 (-)	Temperature limit for vertical surfaces with gap < 30 mm	(see Annex 1)	P
24.13.1 (-)	Special temperature limits – normal operation	(see Annex 1)	P
24.13.2 (-)	Special temperature limits – abnormal operation	(see Annex 1)	P
24.13.3 (-)	Special temperature limits – fault conditions	(see Annex 1)	N/A
<b>24.14</b>	<b>RESISTANCE TO DUST AND MOISTURE</b>		P
	The order of tests as specified in clause 24.13		P
	The provisions of Section 9 of IEC 60598-1 apply	IP65	P
<b>24.15</b>	<b>INSULATION RESISTANCE AND ELECTRIC STRENGTH</b>		N/A
	The provisions of Section 10 of IEC 60598-1 apply		N/A
<b>24.16</b>	<b>RESISTANCE TO HEAT, FIRE AND TRACKING</b>		N/A
	The provisions of Section 13 of IEC 60598-1 apply		N/A

LCSTRF-S-019-A-1

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China  
Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com



IEC 60598-2-24			
Clause	Requirement + Test	Result - Remark	Verdict

ANNEX 1	TABLE: Temperature measurements, thermal tests of Section 12		P
	Type reference.....:	FLT-TPT-40L15	—
	Lamp used.....:	LED module	—
	Lamp control gear used.....:		—
	Mounting position of luminaire.....:	According to instruction from manufacturer	—
	Supply wattage (W).....:	41,0W	—
	Supply current (A).....:	0,17A	—
	Calculated power factor.....:	0,947	—
	Table: measured temperatures corrected for ta = 45 °C:		
	- abnormal operating mode.....:	LED driver output short circuit	—
	- test 1: rated voltage.....:	--	—
	- test 2: 1,06 times rated voltage or 1,05 times rated wattage.....:	1,06x240V	—
	- test 3: Load on wiring to socket-outlet, 1,06 times voltage or 1,05 times wattage.....:	--	—
	- test 4: 1,1 times rated voltage or 1,05 times rated wattage.....:	LED driver protection immediately	—
	Through wiring or looping-in wiring loaded by a current of A during the test .....	--	—

**Temperature measurements, (°C)**

Part	Ambient	Clause 12.4 – normal				Clause 12.5 – abnormal	
		test 1	test 2	test 3	limit	test 4	limit
LED PCB	45°C	--	68,8	--	130	--	--
Internal wire	45°C	--	62,1	--	90	--	--
Plastic enclosure (horizontal surfaces)	45°C	--	63,4	--	110	--	--
Plastic enclosure (vertical surfaces)	45°C	--	51,9	--	150	--	--
LED cover	45°C	--	61,3	--	90	--	--
Mounting surface	45°C	--	54,5	--	90	--	--

Supplementary information:

LCSTRF-S-019-A-1

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China  
 Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com





# Attachment No.1

## Photo Documentation

View:  
Model:  
FLT-TPT-  
40L15

- General
- Front
- Rear
- Internal
- Top
- Bottom
- PWB




Figure 1

View:

- General
- Front
- Rear
- Internal
- Top
- Bottom
- PWB




Figure 2

-----End of Test Report-----

LCSTRF-S-019-A-1

Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China  
Tel: +(86) 0755-29871520 | Fax: +(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http:// www.lcs-cert.com